


**Pocket system for pivoting and lateral sliding in of wooden doors up to 15 kg (33 lbs.). Uniform, flush front design with even gap pattern. Pull version with handle and integrated soft closing mechanism.**

### Product highlights

- Productivity** Easy installation thanks to high degree of pre-assembly with intuitive adjustment
- Comfort** Ergonomic, smooth motion – optimized for base and wall cabinets
- Aesthetics** Allows constructions with and without handle – the technology remains invisible


### Technical specifications

- 4–15 kg (9 to 33 lbs.)
- 600–1400 mm (1' 11 5/8" to 4' 7 1/8")
- 350–700 mm (1' 1 25/32" to 2' 3 9/16")
- 18–26 mm (23/32" to 1 1/32")





### Installation examples

#### Base unit door striking against the top and bottom cabinet sections



\* Recommendation: Use adjustable foot

### Components required for one cabinet



### Hawa Concepta III V2 15 Pull, left

|                                                                       | No.   |
|-----------------------------------------------------------------------|-------|
| Hawa Concepta III V2 15 Push/Pull, basic set, left, including upright | 53520 |
| Hawa Concepta III V2 15 Pull, slide-in set, left                      | 53524 |

### Hawa Concepta III V2 15 Pull, right

|                                                                        | No.   |
|------------------------------------------------------------------------|-------|
| Hawa Concepta III V2 15 Push/Pull, basic set, right, including upright | 53521 |
| Hawa Concepta III V2 15 Pull, slide-in set, right                      | 53525 |

### Weight and door size ratio calculations

The maximum weight must be adapted depending on the door size ratio.

|                |      | Door width in mm  |     |     |     |     |     |     |     |
|----------------|------|-------------------|-----|-----|-----|-----|-----|-----|-----|
|                |      | 350               | 400 | 450 | 500 | 550 | 600 | 650 | 700 |
| Door height mm | 1400 | 15                | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
|                | 1350 | 15                | 15  | 15  | 15  | 15  | 15  | 15  | 15  |
|                | 1300 | 15                | 15  | 15  | 15  | 15  | 15  | 15  | 14  |
|                | 1250 | 15                | 15  | 15  | 15  | 15  | 15  | 14  | 14  |
|                | 1200 | 15                | 15  | 15  | 15  | 15  | 14  | 14  | 13  |
|                | 1150 | 15                | 15  | 15  | 15  | 14  | 14  | 13  | 12  |
|                | 1100 | 15                | 15  | 15  | 15  | 14  | 13  | 12  | 12  |
|                | 1050 | 15                | 15  | 15  | 14  | 14  | 12  | 12  | 11  |
|                | 1000 | 15                | 15  | 14  | 14  | 13  | 12  | 11  | 11  |
|                | 950  | 15                | 15  | 14  | 13  | 12  | 11  | 11  | 10  |
|                | 900  | 15                | 14  | 13  | 12  | 12  | 11  | 11  | 10  |
|                | 850  | 14                | 13  | 12  | 12  | 11  | 10  | 10  | 9   |
|                | 800  | 13                | 12  | 11  | 11  | 10  | 9   | 9   | 9   |
|                | 750  | 12                | 11  | 11  | 10  | 9   | 8   | 8   | 8   |
|                | 700  | 11                | 10  | 10  | 9   | 8   | 8   | 7   | 7   |
|                | 650  | 10                | 9   | 8   | 8   | 7   | 7   | -   | -   |
|                | 600  | 9                 | 8   | 7   | 7   | -   | -   | -   | -   |
|                |      | Door weight in kg |     |     |     |     |     |     |     |

|                     |                                     | Door width in inch                 |                                    |                                    |                                    |                                    |                                     |                                    |                                    |
|---------------------|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------------------|------------------------------------|------------------------------------|
|                     |                                     | 1' 1 <sup>1</sup> / <sub>8</sub> " | 1' 3 <sup>1</sup> / <sub>4</sub> " | 1' 5 <sup>1</sup> / <sub>8</sub> " | 1' 7 <sup>1</sup> / <sub>8</sub> " | 1' 9 <sup>1</sup> / <sub>8</sub> " | 1' 11 <sup>1</sup> / <sub>8</sub> " | 2' 1 <sup>1</sup> / <sub>8</sub> " | 2' 3 <sup>1</sup> / <sub>8</sub> " |
| Door height in inch | 4' 7 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 33                                 | 33                                 | 33                                  | 33                                 | 33                                 |
|                     | 4' 5 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 33                                 | 33                                 | 33                                  | 33                                 | 33                                 |
|                     | 4' 3 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 33                                 | 33                                 | 33                                  | 33                                 | 31                                 |
|                     | 4' 1 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 33                                 | 33                                 | 33                                  | 31                                 | 31                                 |
|                     | 3' 11 <sup>1</sup> / <sub>8</sub> " | 33                                 | 33                                 | 33                                 | 33                                 | 33                                 | 31                                  | 31                                 | 29                                 |
|                     | 3' 9 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 33                                 | 31                                 | 31                                  | 29                                 | 12                                 |
|                     | 3' 7 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 33                                 | 31                                 | 29                                  | 26                                 | 26                                 |
|                     | 3' 5 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 33                                 | 31                                 | 31                                 | 26                                  | 26                                 | 24                                 |
|                     | 3' 3 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 31                                 | 31                                 | 29                                 | 26                                  | 24                                 | 24                                 |
|                     | 3' 1 <sup>1</sup> / <sub>8</sub> "  | 33                                 | 33                                 | 31                                 | 29                                 | 26                                 | 24                                  | 24                                 | 10                                 |
|                     | 2' 11 <sup>1</sup> / <sub>8</sub> " | 33                                 | 31                                 | 29                                 | 26                                 | 26                                 | 24                                  | 24                                 | 22                                 |
|                     | 2' 9 <sup>1</sup> / <sub>8</sub> "  | 31                                 | 29                                 | 26                                 | 26                                 | 24                                 | 22                                  | 22                                 | 20                                 |
|                     | 2' 7 <sup>1</sup> / <sub>8</sub> "  | 29                                 | 26                                 | 24                                 | 24                                 | 22                                 | 20                                  | 20                                 | 20                                 |
|                     | 2' 5 <sup>1</sup> / <sub>8</sub> "  | 26                                 | 24                                 | 24                                 | 22                                 | 20                                 | 18                                  | 18                                 | 18                                 |
|                     | 2' 3 <sup>1</sup> / <sub>8</sub> "  | 24                                 | 22                                 | 22                                 | 20                                 | 18                                 | 18                                  | 15                                 | 15                                 |
|                     | 2' 11 <sup>1</sup> / <sub>8</sub> " | 22                                 | 20                                 | 18                                 | 18                                 | 15                                 | 15                                  | -                                  | -                                  |
|                     | 1' 11 <sup>1</sup> / <sub>8</sub> " | 20                                 | 18                                 | 15                                 | 15                                 | -                                  | -                                   | -                                  | -                                  |
|                     |                                     | Door weight in lbs.                |                                    |                                    |                                    |                                    |                                     |                                    |                                    |


### Hawa Configurator

[www.hawa.com/configurator](http://www.hawa.com/configurator) →

## List of individual parts, which are included in the sets

### Set for 1 pivot /slide-in door up to 15 kg (33 lbs.)

|                                                                        | No.   |
|------------------------------------------------------------------------|-------|
| Hawa Concepta III V2 15 Push/Pull, basic set, left, including upright  | 53520 |
| Hawa Concepta III V2 15 Push/Pull, basic set, right, including upright | 53521 |



|                                                                                     |                                                                                                                   | 53520 | 53521 | No.   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------|-------|-------|
| <b>Set consisting of:</b>                                                           |                                                                                                                   |       |       |       |
|    | Slot nuts for hinge attachment, plastic, black                                                                    | 2     | 2     | 30686 |
|    | Mounting plate for hinge with height adjustment, steel, nickel-plated                                             | 1     | 1     | 52616 |
|   | Concealed hinge, with soft closing mechanism and closing spring, steel, nickel plated                             | 2     | 2     | 52621 |
|  | Screw set for concealed hinges, 4 screws 4x16 mm ((5/32"x5/8")), 2 door stop buffers                              | 1     | 1     | 53555 |
|  | Profile for magnetic guide, with double-sided adhesive tape, steel, black, L=730 mm (2' 4 3/4")                   | 1     | 1     | 30983 |
|  | Euro screw, 6x13 mm (1/4"x 1/2"), steel, black, set of 3 pieces                                                   | 1     | 1     | 53562 |
|  | Bottom guide track left, aluminum, anodized, L= 770 mm (2' 6 5/16")                                               | 1     |       | 53546 |
|  | Running track top left, aluminum, anodized, L= 770 mm (2' 6 5/16")                                                | 1     |       | 53548 |
|  | Countersunk head screw for running track adapter, 4.5x16 mm (5/32"x5/8"), set of 16 pieces, incl. T20             | 1     | 1     | 31585 |
|  | Upright profile, for door height 600–1400 mm (1' 11 5/8"–4' 7 1/8"), aluminum, anodized, L= 1174 mm (3' 10 7/32") | 1     | 1     | 53551 |
|  | Bottom guide track right, aluminum, anodized, L= 770 mm (2' 6 5/16")                                              |       | 1     | 53547 |
|  | Top running track right, aluminum, anodized, L= 770 mm (2' 6 5/16")                                               |       | 1     | 53549 |

### Suitable slide-in set

|                                                   | No.   |
|---------------------------------------------------|-------|
| Hawa Concepta III V2 15 Pull, slide-in set, left  | 53524 |
| Hawa Concepta III V2 15 Pull, slide-in set, right | 53525 |

|                                                                                     |                                                                                  | 53524 | 53525 | No.   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------|-------|-------|
| <b>Set consisting of:</b>                                                           |                                                                                  |       |       |       |
|    | Slide-in unit Hawa Concepta III V2 15 Push/Pull, left                            | 1     |       | 53557 |
|    | Pull end stop bracket, steel, zinc-plated                                        | 1     | 1     | 31414 |
|    | Soft closing mechanism                                                           | 1     | 1     | 31221 |
|   | Hawa Concepta III V2 Pull set of cover caps, for left-hand stop, plastic, black  | 1     |       | 52650 |
|  | Slide-in unit Hawa Concepta III V2 15 Push/Pull, right                           |       | 1     | 53558 |
|  | Hawa Concepta III V2 Pull set of cover caps, for right-hand stop, plastic, black |       | 1     | 52651 |

### Cabinet connecting parts

|                                                                                     |                                                                                                                | mm<br>(inch)          | No.   |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------|-------|
|    | Connector set 55 mm (2 5/32''), exterior connection to cabinet, top and bottom                                 | 560<br>(1' 10 1/16'') | 31005 |
|    | Connector set 55 mm (2 5/32''), exterior connection to cabinet, top                                            | 560<br>(1' 10 1/16'') | 31430 |
|    | Connector set 110 mm (4 11/32''), for two pivot/slide-in doors, top                                            | 500<br>(1' 7 11/16'') | 31006 |
|    | Connector set 110 mm (4 11/32''), for two pivot/slide-in doors, bottom                                         | 500<br>(1' 7 11/16'') | 31246 |
|   | Connector 110 mm (4 11/32''), for two pivot/slide-in doors, bottom (for installation in front of fixed plinth) | 26<br>(1 1/32'')      | 31007 |
|  | Connector clips, exterior connection to cabinet, bottom, 2 pieces                                              |                       | 53554 |

### Guides

|                                                                                     |                                                    | No.   |
|-------------------------------------------------------------------------------------|----------------------------------------------------|-------|
|  | Guide for two inset pivot/slide-in doors, aluminum | 25680 |

### Accessories

|                                                                                     |                                                   | No.   |
|-------------------------------------------------------------------------------------|---------------------------------------------------|-------|
|  | Allen key, with handle, 3 mm (1/8'')              | 13164 |
|  | Allen key 4 mm (5/32''), length 160 mm (6 5/16'') | 19931 |

### Automatic shut-off device

In order to ensure that electrical devices are safely shut off when doors are closed, we recommend the Hawa-specific SafetyBox from Halemeier, which is suitable for the entire Hawa Concepta III family.  
[www.halemeier.de](http://www.halemeier.de)

### Straightening fitting

→ Details under accessories from page 307

#### Aluminum, black anodized



|                                                                                                                                                                                       | No.          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Straightening fitting for doors 1215–1775 mm (3' 11 27/32''–5' 9 27/32''), aluminum, black anodized, can be shortened for doors smaller than 1215 mm (3' 11 27/32''), set of 2 pieces | 056.3192.076 |

### Hawa Straightening fitting




Aluminum, black anodized  
(with cover caps)




### Further installation examples Base unit without base panel




### Composed cabinet



## Inlaid doors




\* removable



## Hardware depth calculation



Door flush with outer face



|    |       |                         |
|----|-------|-------------------------|
|    | mm    | Inch                    |
| T1 | ≥ 414 | ≥ 1' 4 $\frac{5}{16}$ " |

|    | mm                          | Inch                                                   |
|----|-----------------------------|--------------------------------------------------------|
| T1 | TB + 92 + Z3 - M            | TB + 3 $\frac{5}{8}$ " + Z3 - M                        |
| E1 | TB - M                      | TB - M                                                 |
| M  | $\geq S+3$<br>$\leq TB-320$ | $\geq S + \frac{1}{8}"$<br>$\leq TB - 1\frac{19}{32}"$ |

## Protruding door



### Instructions

### Left-hand installation



### Right-hand installation



### Left-hand adjustment



### Right-hand adjustment



## Connector



## Videos

## Installation



## Adjustment

